

STAHL'S Hotronix[®] CATALOG




THE WORLD'S BEST-SELLING HEAT PRESSES


STAHL'S
EUROPE • AFRICA • MID EAST

Hotronix®

DUAL AIR FUSION IQ™

Maximize time and space with an additional work station. The Dual Air FUSION IQ™ provides groundbreaking A and B workstations that operate independently or in unison, optimizing performance.





WORK SMARTER, NOT HARDER

Built for ultimate heat printing efficiency, the Dual Air FUSION IQ™ provides the functionality of two presses with dual 40x50 cm workstations. Program the press to preheat on station A and complete final application on station B. The press automatically adjusts time and pressure as it shuttles between workstations. It's a smooth, quiet, effortless operation controlled by the push of a button tap of the foot pedal. Simply power on and choose between dual or independent operation.

The Dual Air FUSION IQ™ also comes standard with a Laser Alignment System, assuring your job is on target every time. The laser system seamlessly integrates into the Dual Air FUSION IQ™'s workstations and is controlled entirely through the touch screen.

DUAL AIR
FUSION IQ™

TOUCH SCREEN

T E C H N O L O G Y

Integrated laser system
operation

Smart screen with stylus

Adjustable shuttle speed

4 pressure and time
settings

Patented Auto Adjust
Pressure™

Tack mode

Digital time, temperature
and pressure display

Auto On/Auto Off

Production cycle counter

Programmable presets for
applications

8 different languages





DUAL AIR FUSION IQ™

PERFORMANCE

- Dual platen shuttle operation
- Laser Alignment System
- User-safe push-button/foot pedal operation
- Auto, semi-auto or manual mode
- Touch screen control system with stylus
- Heat-free work surface
- Corrosion-resistant framework
- (2) 40 x 50 cm Quick Change lower platens

Get the most out of your Hotronix®. See page 38 to find out what Quick Change platens are available for the Dual Air FUSION IQ™.

SPECS

220 Volt • 20 Amps / 3500 Watts

Requires air compressor (not included) with minimum 1-horsepower and 5-gallon hold tank.

SHIPPING

114cm L x 114cm B x 76cm H; 186 kg