

# STAHL'S Hotronix<sup>®</sup> CATALOG



THE WORLD'S BEST-SELLING HEAT PRESSES

**STAHL'S**  
EUROPE • AFRICA • MID EAST

AIR-POWERED FOR EFFORTLESS OPERATION

Hotronix®

## AIR FUSION IQ™

Heat printing simplicity through air-powered operation. The first fully automatic heat press - the Hotronix® Air FUSION IQ™ - makes it possible. Two push-buttons and a pedal are all that's required.



*Available in a Pedestal and Table Top model.*

# AUTO ADJUST PRESSURE™

## AUTO-ADJUSTS TO FIT YOUR NEEDS

Ideal for medium to high-volume shops, the Air FUSION IQ™ offers a two-button operation that locks the upper platen down with accurate, even pressure. It then swings open automatically to create a heat-free workspace. A tap of the foot pedal returns the upper platen. It's that simple.

Take the guesswork out of setting pressure. Whether you're printing a fleece sweatshirt or a lightweight T-shirt, the patented Auto Adjust Pressure™ automatically adjusts to the thickness of the item you're printing. Program your time to change from pre-heating to final application. With up to four time and pressure settings, it's not just possible - it's automatic.



**AIR**  
**FUSION IQ™**

# TOUCH SCREEN

T E C H N O L O G Y

Smart screen with Stylus

Adjustable swing speed

4 pressure and time settings

Patented Auto Adjust Pressure™

Tack mode

Digital time, temperature and pressure display

Auto On/Auto Off

Production cycle counter

Programmable presets for applications

8 different languages





AIR FUSION™ **PEDESTAL**



AIR FUSION™ **TABLE TOP**

**PERFORMANCE**

- Auto open, auto swing operation
- \*Adjustable pedestal stand 94 cm - 110 cm
- \*Lockable casters
- User-safe push-button/foot pedal operation
- Auto, semi-auto or manual mode
- Touch screen control system with stylus
- Heat-free work surface
- Cast aluminium alloy frame

- Corrosion-resistant framework
- 40 x 50 cm Quick change lower platen

*Get the most out of your Hotronix®. See page 38 to find out what Quick Change platens are available for the Air Fusion™.*

**SPECS**

- 110 Volt • 20 Amps / 1800 Watts
- 220 Volt • 10 Amps / 1800 Watts

*Requires air compressor (not included) with minimum 1-horsepower and 5-gallon hold tank.*

*\* Pedestal model only*

**SHIPPING**

L 122 cm x B 102cm x H 147 cm,  
111 kg

**SHIPPING**

L 94 cm x B 61 cm x H 69 cm;  
81 kg

*One or more patent and/or patents pending.*