

## MATERIAL SAFETY DATA SHEET(MSDS)

Version: 1.0

Creation Date: AUG 25, 2022

Revision Date: AUG 24, 2023

---

Samples Name: PET FILM

Model: /

Item Number: /

Client Name:

Address:

Post Code:

Reviewed by (Lab Senior Engineer) : JACKSON

Signature (Technology Manager) : ALAN

## Section1-Chemical product and company identification

ProductName: PET FILM

Manufacture:

Address:

## Section 2 - Hazards Identification

**Fatalness grade:**/

**Invasion route:** skin contact, eye contact,  
intake

**Health hazards:** No known significant effects or critical hazards

**Environment hazards:** No known significant effects or critical hazards

**Burn & burst danger:** The sample can ignited.

## Section 3 -Composition/Information on Ingredient

Pure

Admixture •

Composition:

Chemical name	Compostion(in % by weight)	chemical reaction	formula weight	CAS NO.	EC NO.
Poly(ethylene terephthalate)	100	(C <sub>10</sub> H <sub>8</sub> O <sub>4</sub> ) <sub>n</sub>	—	25038-59-9	306-812-2

## Section 4 - First Aid Measures

**Skin touch:** Remove contaminated clothes and rinse the skin with plenty of water.

**Eyes touch:** Lifting the upper and lower eyelids, flush the eyes with plenty of water or saline water. Get medical aid.

**Inhalation:** Remove from exposure and move to fresh air immediately. Keep the respiratory tract smooth. Use oxygen if available. Get medical aid.

**Ingestion:** Drink sufficient hot water and induce vomiting. Get medical aid.

## Section 5 - Fire Fighting Measures Danger

**Characteristic:** The sample can ignited.

**Hazardous combustion products:** Nitrogen. oxides. Carbon monoxide. Carbon dioxide

**Fire-Fighting method & media:** use extinguish ant such as water, chemical dry powder, carbon dioxide dry power, bubble to put out the fire.

## Section 6 -Accidental Release Measures

**Emergency treatment:** It is suggested that the staff wear dust respirator and dress in work clothes. Shut off the divulgence source as soon as possible. Prevent the spillage flowing into restrictive space like the sewer and the drainage channel. Small amount of divulgence: clean off. Massive divulgence: recycle or transport to waste treatment place for handling.

**Small leak:** cleaning.

**Large leak:** recycle or transport to waste disposal site.

## Section 7 - Handling and Storage

**Handling:** Supply with sufficient partial air exhaust. The operating staff must have received special training and abide by the operating regulations. It is advised that the staff wear respirator, wear work clothes, and wear gloves. Keep away from the fire source, heat source, no smoking in the work place. Avoid producing dust. Use explosion-proof type ventilation system and device. Avoid contacting with oxidizer and strong acid. Equip with relevant types and quantities of extinguishment instruments and device for divulgence handling. Empty the container which may include harmful material

**Storage:** Stored in a cool, ventilation of the treasury. Away from fire, heat source. With the oxidant and acid stored separately, avoid mixing reservoir. Equipped with the appropriate variety and quantity of fire equipment. Storage areas should be equipped with emergency treatment equipment for leakage and suitable housing materials.

## Section 8 - Exposure Controls, Personal Protection

**Maximum admissible concentration:** No standard

**Monitoring Method:** /

**Engineering Control:** provide a full line of wind

**Respiratory Protection:** Wear self-inhalation filter type dust respirator if the dust density exceed in the air.

**Eyes Protection:** Generally do not need protection.

**Body Protection:** Generally do not need protection. **Hands**

**Protection:** Generally do not need protection.

**Other Protections:** No smoking, dining and drinking water in the workplace. Keep good habit of hygiene

## Section 9 - Physical and Chemical Properties

**Appearance:** Transparent

**Color:** Transparent

**Odor:** No smell

**Density:** /

**Boiling Point:** No data.

**Melting Point:** 254 degree

**Flashpoint:** No data

**Vapour pressure:** no date

**Solubility in water:** No data

**Partition coefficient (n-octanol / water):** No data.

**Viscosity:** Not applicable

**PH Value:** No data

**Permission of solvent Inhalation:** No data.

**Solubility:** Insoluble in water

**Ignition temperature:** 400 degree

## **Section 10 - Stability and Reactivity**

**Stability:** Stable under normal temperature and pressure.

**Distribution of Ban:** Strong oxidizer, strong acid.

**Conditions to Avoid:** Not applicable.

**Hazardous Polymerization:** No data

**Hazardous Decomposition Products:** Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **Section 11 - Toxicological Information**

**Acute Toxicity:** No data.

**Sub-acute and Chronic Toxicity:** No data.

**Irritation:** No data. Sensitization: No data.

**Mutagenicity:** No data.

**Carcinogenicity:** No data.

**Others:** /

## **Section 12 - Ecological Information**

**Eco-toxicity:** No known significant effects or critical hazards.

**Biodegradable:** No applicable.

**Non-biodegradable:** No applicable.

**Bioconcentration or biological accumulation:** No applicable.

**Other harmful effects:** No known significant effects or critical hazards.

## Section 13 - Disposal Considerations

**Nature of waste:** /

**Waste disposal methods:** recycling

**Attention abandoned:** /

## Section 14 - Transport Information

**Number of dangerous goods:** No applicable.

**UN Number:** No data.

**Packaging Mark:** No data.

**Packaging Method:** No data.

**Transport Attentions:** Examine whether the package of the containers are integrate and tighten closed before transport. No divulgence, no collapse, no precipitation or no damage during the course of transportation. Don't put the goods together with oxidizer, acid and so on. The transport vehicle and ship must be cleaned and sterilized otherwise it is not allowed to assemble articles. During transport, the vehicle should prevent exposure, rain and high temperature. For stopovers, the vehicle should be away from fire and heat sources. Don't use device and tools which can easily produce spark for loading. When transported by sea. the assemble place should keep away from bedroom and kitchen, and isolated from the engine room, power and fire source. Under the condition of Road Transportation, the driver should drive in accordance with regulated route, don't stop over in the residential area and congested area. No slipping up in rail road. According to the IMDG Code (inc Arndt 34-08) 2016 Edition, The sample is not regulated for transport of dangerous goods.

## **Section 15 -Regulatory Information**

### **Regulatory Information:**

ISO 11014-2009 Safety data sheet for chemical products -Content and order of sections.

Regulation (EC) No.1272/2008 Classification, Labeling and Packaging of Substances and Mixtures.

The International Maritime Dangerous Goods (IMDG) Code.

## **Section 16 -Additional Information**


The above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

**Note:**

**Photo is included**

Sample Description: transparent pet film

Photograph Sample



\*\*\*\*\*End of MSDS\*\*\*\*\*